



フラットバーホット / Hot Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
3×15	1.43	3×100	9.52	4×75	9.52
3×19	1.81	4×15	1.90	4×100	12.7
3×20	1.90	4×19	2.41	5×15	2.38
3×22	2.09	4×20	2.54	5×19	3.01
3×25	2.38	4×22	2.79	5×20	3.17
3×30	2.86	4×25	3.17	5×25	3.96
3×32	3.04	4×30	3.81	5×30	4.76
3×35	3.33	4×32	4.08	5×32	5.08
3×38	3.62	4×35	4.44	5×35	5.56
3×40	3.81	4×38	4.84	5×38	6.04
3×45	4.28	4×40	5.08	5×40	6.36
3×50	4.76	4×45	5.71	5×45	7.12
3×60	5.72	4×50	6.36	5×50	7.92
3×65	6.20	4×60	7.61	5×60	9.52
3×75	7.14	4×65	8.24	5×65	10.3

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーホット / Hot Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
5×75	11.9	6×60	11.4	8×45	11.4
5×90	14.3	6×65	12.4	8×50	12.7
5×100	15.8	6×70	13.3	8×65	16.5
6×15	2.86	6×75	14.3	8×75	19.0
6×19	3.62	6×90	17.1	8×100	25.4
6×20	3.81	6×100	19.0	9×15	4.28
6×22	4.20	6×125	23.8	9×16	4.56
6×25	4.76	6×150	28.6	9×19	5.44
6×30	5.72	8×16	4.08	9×20	5.72
6×32	6.08	8×25	6.36	9×22	6.28
6×35	6.68	8×30	7.60	9×25	7.12
6×38	7.24	8×32	8.12	9×30	8.56
6×40	7.60	8×35	8.88	9×32	9.12
6×45	8.56	8×38	9.64	9×35	10.0
6×50	9.52	8×40	10.2	9×38	10.8

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーホット / Hot Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
9×40	11.4	10×20	6.36	10×200	63.6
9×45	12.8	10×25	7.92	10×250	79.2
9×50	14.3	10×30	9.52	10×300	95.2
9×60	17.1	10×32	10.2	12×15	5.72
9×65	18.6	10×35	11.1	12×19	7.24
9×75	21.4	10×38	12.0	12×20	7.60
9×90	25.7	10×40	12.7	12×25	9.52
9×100	28.6	10×45	14.3	12×30	11.4
9×125	35.7	10×50	15.8	12×32	12.2
9×150	42.8	10×60	19.0	12×35	13.3
9×200	57.2	10×65	20.6	12×38	14.5
9×250	71.2	10×75	23.8	12×40	15.2
9×300	85.6	10×100	31.7	12×45	17.1
10×15	4.76	10×125	39.6	12×50	19.0
10×19	6.04	10×150	47.6	12×65	24.8

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

は切断可能品 / :also available for cutting



# フラットバーホット / Hot Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
12 × 70	26.6	16 × 40	20.3	19 × 35	21.1
12 × 75	28.6	16 × 45	22.8	19 × 38	22.9
12 × 90	34.2	16 × 50	25.4	19 × 40	24.1
12 × 100	38.1	16 × 65	33.0	19 × 45	27.1
12 × 125	47.6	16 × 75	38.1	19 × 50	30.1
12 × 150	57.2	16 × 90	45.6	19 × 55	33.1
12 × 200	76.0	16 × 100	50.8	19 × 65	39.2
12 × 250	95.2	16 × 125	63.6	19 × 75	45.2
12 × 300	114.0	16 × 150	76.0	19 × 90	54.4
16 × 20	10.2	16 × 200	102.0	19 × 100	60.4
16 × 25	12.7	16 × 250	127.0	19 × 125	75.2
16 × 30	15.2	16 × 300	152.0	19 × 150	90.4
16 × 32	16.2	19 × 25	15.1	19 × 200	120.0
16 × 35	17.8	19 × 30	18.1	19 × 250	151.0
16 × 38	19.3	19 × 32	19.3	19 × 300	181.0

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーホット / Hot Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
22 × 25	17.4	22 × 250	174.0	25 × 300	238.0
22 × 30	20.9	22 × 300	209.0	30 × 50	47.6
22 × 32	22.3	25 × 32	25.4	30 × 55	52.4
22 × 35	24.4	25 × 38	30.1	30 × 65	62.0
22 × 38	26.5	25 × 40	31.7	30 × 75	71.2
22 × 40	27.9	25 × 45	35.7	30 × 100	95.2
22 × 45	31.4	25 × 50	39.6	30 × 125	119.0
22 × 50	34.9	25 × 60	47.6	30 × 150	143.0
22 × 65	45.2	25 × 65	51.6	30 × 200	190.0
22 × 75	52.4	25 × 75	59.6	30 × 250	238.0
22 × 90	62.8	25 × 100	79.2	30 × 300	286.0
22 × 100	69.6	25 × 125	99.2	35 × 50	55.6
22 × 125	87.2	25 × 150	119.0	35 × 65	72.0
22 × 150	105.0	25 × 200	158.0	35 × 75	83.2
22 × 200	140.0	25 × 250	198.0	35 × 100	111.0

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーホット / Hot Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
35 × 125	139.0	45 × 125	178.0	70 × 100	222.0
35 × 150	166.0	45 × 150	214.0	70 × 125	278.0
40 × 50	63.6	50 × 65	103.0	70 × 150	333.0
40 × 65	82.4	50 × 75	119.0	80 × 100	254.0
40 × 75	95.2	50 × 100	158.0	80 × 125	317.0
40 × 100	127.0	50 × 125	198.0	80 × 150	381.0
40 × 125	158.0	50 × 150	238.0	90 × 125	357.0
40 × 150	190.0	60 × 75	143.0	90 × 150	428.0
45 × 50	71.4	60 × 100	190.0	100 × 125	396.0
45 × 65	92.7	60 × 125	238.0	100 × 150	476.0
45 × 75	107.0	60 × 150	286.0		
45 × 100	143.0	65 × 75	155.0		

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

(mm) (kg/本)  
(kg/pc.)

は切断可能品 / :also available for cutting