



フラットバーコールド / Cold Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
2×6×2m	0.19	3×5×3m	0.36	3×32	3.04
2×8×2m	0.25	3×6	0.57	3×35	3.33
2×9×2m	0.29	3×7	0.67	3×38	3.62
2×10×2m	0.32	3×8	0.76	3×40	3.81
2×10	0.63	3×9	0.86	3×42	4.0
2×12	0.76	3×10	0.95	3×45	4.28
2×15	0.95	3×12	1.14	3×48	4.56
2×20	1.27	3×13	1.24	3×50	4.76
2×25	1.58	3×15	1.43	3×60	5.72
2×30	1.90	3×16	1.52	3×65	6.20
2×32	2.03	3×19	1.81	3×75	7.12
2×38	2.41	3×20	1.90	3×90	8.56
2×40	2.54	3×22	2.09	3×100	9.52
2×45	2.86	3×25	2.38	3×110	10.5
2×50	3.17	3×30	2.86	3×120	11.4

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーコールド / Cold Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
3 × 125	11.9	4 × 25	3.17	5 × 10	1.59
3 × 130	12.4	4 × 30	3.81	5 × 12	1.90
3 × 140	13.3	4 × 32	4.08	5 × 13	2.06
3 × 150	14.3	4 × 35	4.44	5 × 15	2.38
4 × 9	1.14	4 × 38	4.84	5 × 16	2.54
4 × 10	1.27	4 × 40	5.08	5 × 19	3.01
4 × 11	1.40	4 × 45	5.72	5 × 20	3.17
4 × 12	1.52	4 × 50	6.36	5 × 22	3.49
4 × 13	1.65	4 × 60	7.60	5 × 25	3.96
4 × 15	1.90	4 × 65	8.24	5 × 30	4.76
4 × 16	2.03	4 × 75	9.52	5 × 32	5.08
4 × 17	2.16	4 × 90	11.4	5 × 34	5.40
4 × 19	2.41	4 × 100	12.7	5 × 35	5.56
4 × 20	2.54	5 × 8	1.27	5 × 38	6.04
4 × 22	2.79	5 × 9	1.43	5 × 40	6.36

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーコールド / Cold Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
5×50	7.92	6×19	3.62	6×70	13.3
5×60	9.52	6×20	3.81	6×75	14.3
5×65	10.3	6×22	4.20	6×90	17.1
5×75	11.9	6×25	4.76	6×100	19.0
5×90	14.3	6×30	5.72	6×110	20.9
5×100	15.8	6×32	6.08	6×120	22.8
5×130	20.6	6×35	6.68	6×125	23.8
5×150	23.8	6×38	7.24	6×130	24.8
6×9	1.71	6×40	7.60	6×140	26.6
6×10	1.90	6×42	8.00	6×150	28.6
6×12	2.28	6×45	8.56	8×10	2.54
6×13	2.48	6×48	9.12	8×16	4.08
6×15	2.86	6×50	9.52	8×32	8.12
6×16	3.04	6×60	11.4	8×38	9.64
6×18	3.42	6×65	12.4	8×50	12.7

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーコールド / Cold Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
9×13	3.71	9×65	18.6	10×38	12.0
9×15	4.28	9×75	21.4	10×40	12.7
9×16	4.56	9×90	25.7	10×50	15.8
9×19	5.44	9×100	28.6	10×65	20.6
9×20	5.72	9×125	35.7	10×75	23.8
9×22	6.28	9×150	42.8	10×100	31.7
9×25	7.12	9×200	57.2	10×125	39.6
9×30	8.56	9×250	71.2	10×150	47.6
9×32	9.12	9×300	85.6	10×200	63.6
9×35	10.0	10×15	4.76	10×250	79.2
9×38	10.8	10×19	6.04	12×14	5.32
9×40	11.4	10×20	6.36	12×16	6.08
9×45	12.8	10×25	7.92	12×19	7.24
9×50	14.3	10×30	9.52	12×20	7.60
9×60	17.1	10×32	10.2	12×25	9.52

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーコールド / Cold Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
12 × 30	11.4	16 × 19	9.64	19 × 25	15.1
12 × 32	12.2	16 × 20	10.2	19 × 32	19.3
12 × 35	13.3	16 × 25	12.7	19 × 38	22.9
12 × 38	14.5	16 × 32	16.2	19 × 50	30.1
12 × 40	15.2	16 × 38	19.3	19 × 65	39.2
12 × 50	19.0	16 × 40	20.3	19 × 75	45.2
12 × 65	24.8	16 × 50	25.4	19 × 100	60.4
12 × 75	28.6	16 × 65	33.0	19 × 125	75.2
12 × 90	34.2	16 × 75	38.1	19 × 150	90.4
12 × 100	38.1	16 × 100	50.8	19 × 200	120.0
12 × 125	47.6	16 × 125	63.6	19 × 250	151.0
12 × 150	57.2	16 × 150	76.0	19 × 300	181.0
12 × 200	76.0	16 × 200	102.0	22 × 32	22.3
12 × 250	95.2	16 × 250	127.0	22 × 38	26.5
12 × 300	114.0	16 × 300	152.0	22 × 50	34.9

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

(mm) (kg/本)
(kg/pc.)

は切断可能品 / :also available for cutting



フラットバーコールド / Cold Rolled Stainless Steel Flat Bar

SUS304

寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm	寸法 Dimension	長さ Length 4000mm
22 × 65	45.2	25 × 75	59.6	30 × 65	62.0
22 × 75	52.4	25 × 100	79.2	30 × 75	71.2
22 × 100	69.6	25 × 125	99.2	30 × 100	95.2
25 × 32	25.4	25 × 150	119.0	35 × 50	55.6
25 × 38	30.1	25 × 200	158.0	35 × 65	72.0
25 × 50	39.6	30 × 50	47.6	35 × 75	83.2
25 × 65	51.6	30 × 55	52.4	35 × 100	111.0
(mm)	(kg/本) (kg/pc.)	(mm)	(kg/本) (kg/pc.)	(mm)	(kg/本) (kg/pc.)

は切断可能品 / :also available for cutting