



# ミガキ丸棒 / Cold Drawn Stainless Steel Round Bar

SUS304 (寸法公差h9) / O.D. Tolerance "h9"

外径 O.D.	長さ / Length		
	1000mm	2000mm	4000mm
0.9	0.005		
1.0	0.006		
1.2	0.008		
1.4		0.012	
1.5		0.014	
1.6		0.015	
1.8		0.020	
2.0		0.024	
2.3		0.032	
2.5		0.038	
2.6		0.042	
3.0		0.056	
3.2		0.063	
3.5		0.076	

(mm)

(kg/m)

外径 O.D.	長さ / Length		
	1000mm	2000mm	4000mm
4.0	0.099	0.099	
4.5	0.126		
5.0	0.156	0.156	
5.5	0.188		
6.0	0.224	0.224	
6.35	0.247		
6.5	0.263		
7.0	0.305	0.305	
8.0	0.399	0.399	
9.0	0.504	0.504	
9.52	0.562	0.562	
10	0.623	0.623	
11			0.753
12			0.897

(mm)

(kg/m)

は切断可能品 / :also available for cutting



# ミガキ丸棒 / Cold Drawn Stainless Steel Round Bar

SUS304 (寸法公差h9) / O.D. Tolerance "h9"

外径 O.D.	長さ / Length		
	1000mm	2000mm	4000mm
12.7			1.00
13			1.05
14			1.22
15			1.40
15.87			1.55
16			1.59
17			1.80
18			2.02
19			2.25
20			2.49
22			3.01
24			3.59
25			3.89
26			4.21
(mm)			(kg/m)

外径 O.D.	長さ / Length		
	1000mm	2000mm	4000mm
28			4.88
30			5.60
32			6.38
34			7.20
35			7.63
38			8.99
40			9.96
42			11.0
45			12.6
48			14.3
50			15.6
55			18.8
60			22.4
65			26.3
(mm)			(kg/m)

は切断可能品 / :also available for cutting



# ミガキ丸棒 / Cold Drawn Stainless Steel Round Bar

SUS304 (寸法公差h9) / O.D. Tolerance "h9"

外径 O.D.	長さ / Length		
	1000mm	2000mm	4000mm

70 30.5

75 35.0

80 39.9

(mm)

(kg/m)

外径 O.D.	長さ / Length		
	1000mm	2000mm	4000mm

85 45.0

90 50.4

100 62.3

(mm)

(kg/m)

は切断可能品 / :also available for cutting