



ステンレス鋼板 / Stainless Steel Sheet & Plate

SUS304L

2 B仕上げ (冷間圧延ステンレス鋼板) / No.2B Finish, Cold Rolled Stainless Steel Sheet

板厚 Thickness	寸法 / Dimension				
	1m × 2m 1000 × 2000	4f × 8f 1219 × 2438	5f × 10f 1524 × 3048	5f × 4m 1524 × 4000	2m × 4m 2000 × 4000
0.4	6.34				
0.5	7.93				
0.6	9.52				
0.8	12.7	18.9			
1.0	15.9	23.6			
1.2	19.0	28.3			
1.5	23.8	35.4	55.3	72.5	
2.0	31.7	47.1	73.7	96.7	
2.5	39.6	58.9	92.1	121.0	
3.0	47.6	70.7	111.0	145.0	
4.0			147.0	193.0	
6.0			221.0	290.0	

(mm)

(kg/枚)

(kg/pc.)

は切断可能品 / :also available for cutting



ステンレス鋼板 / Stainless Steel Sheet & Plate

SUS 304L

NO 1 仕上げ (熱間圧延ステンレス鋼板) / No.1 Finish, Hot Rolled Stainless Steel Sheet

板厚 Thickness	寸法 / Dimension				
	1m × 2m 1000 × 2000	4f × 8f 1219 × 2438	5f × 10f 1524 × 3048	5f × 4m 1524 × 4000	2m × 4m 2000 × 4000
3.0	47.6	70.7	111.0	145.0	
4.0	63.4	94.3	147.0	193.0	
5.0	79.3	118.0	184.0	242.0	
6.0	95.2	141.0	221.0	290.0	381.0
8.0		189.0	295.0	387.0	
9.0		212.0	332.0	435.0	571.0
10.0	159.0	236.0	368.0	483.0	634.0
12.0	190.0	283.0	442.0	580.0	761.0
14.0			516.0		888.0
15.0			553.0		952.0
16.0	254.0	377.0	589.0		1015.0
18.0			663.0		1142.0
19.0			700.0		1206.0
20.0			737.0		1269.0
22.0			811.0		1396.0

(mm)

(kg/枚)

(kg/pc.)

は切断可能品 / :also available for cutting



ステンレス鋼板 / Stainless Steel Sheet & Plate

SUS304L

NO.1仕上げ (熱間圧延ステンレス鋼板) / No.1 Finish, Hot Rolled Stainless Steel Sheet

板厚 Thickness	寸法 / Dimension				
	1m × 2m 1000 × 2000	4f × 8f 1219 × 2438	5f × 10f 1524 × 3048	5f × 4m 1524 × 4000	2m × 4m 2000 × 4000
25.0					1586.0
28.0			1031.0		1776.0
30.0			1105.0		1903.0
32.0			1179.0		2030.0
35.0					2221.0
38.0					2410.0
40.0					2538.0
45.0					2854.0
50.0					3172.0
60.0					3806.0
70.0					4441.0
75.0					
80.0					
85.0					
90.0					

(mm)

(kg/枚)

(kg/pc.)

は切断可能品 / : also available for cutting



ステンレス鋼板 / Stainless Steel Sheet & Plate

SUS304L

NO1仕上げ (熱間圧延ステンレス鋼板) / No.1 Finish, Hot Rolled Stainless Steel Sheet

板厚 Thickness	寸法 / Dimension				
	1m × 2m 1000 × 2000	4f × 8f 1219 × 2438	5f × 10f 1524 × 3048	5f × 4m 1524 × 4000	2m × 4m 2000 × 4000

95.0

100.0

110.0

120.0

(mm)

(kg/枚)

(kg/pc.)

は切断可能品 / :also available for cutting