



丸棒 / Stainless Steel Round Bar

SUS304

酸洗仕上げ / Pickled Surface

外 径 O.D.	長さ / Length 4000mm
6	0.22
7	0.31
8	0.40
9	0.50
10	0.62
12	0.90

(mm) (kg/m)

外 径 O.D.	長さ / Length 4000mm
13	1.05
14	1.22
15	1.40
16	1.61
19	2.27
20	2.51

(mm) (kg/m)

は切断可能品 / :also available for cutting



丸棒 / Stainless Steel Round Bar

SUS304

ピーリング仕上げ / Peeled Surface

外 径 O.D.	長さ / Length 4000mm	長さ / Length 6000mm
16	1.61	
17	1.82	
18	2.03	
19	2.27	

(mm) (kg/m) (kg/m)

外 径 O.D.	長さ / Length 4000mm	長さ / Length 6000mm
20	2.51	
22	3.03	
24	3.61	
25	3.92	3.92

(mm) (kg/m) (kg/m)

は切断可能品 / :also available for cutting



丸棒 / Stainless Steel Round Bar

SUS304

ピーリング仕上げ / Peeled Surface

外 径 O.D.	長さ / Length 4000mm	長さ / Length 6000mm
26	4.25	
28	4.93	
30	5.65	5.65
32	6.43	
34	7.25	
35	7.68	7.68
36	8.13	
38	9.05	
40	10.0	10.0
42	11.1	
45	12.7	12.7
46	13.3	
48	14.4	
50	15.6	15.6
55	18.9	18.9

外 径 O.D.	長さ / Length 4000mm	長さ / Length 6000mm
60	22.5	22.5
65	26.4	
70	30.6	30.6
75	35.1	
80	40.0	40.0
85	45.3	
90	50.7	50.7
95	56.5	
100	62.6	62.6
105	69.0	
110	75.7	75.7
115	82.7	
120	90.1	90.1
125	97.7	
130	106.0	106.0

(mm) (kg/m)

(kg/m) (mm) (kg/m) (kg/m)

は切断可能品 / :also available for cutting



丸棒 / Stainless Steel Round Bar

SUS304

ピーリング仕上げ / Peeled Surface

外 径 O.D.	長さ / Length 4000mm	長さ / Length 6000mm
135	114.0	
140	123.0	123.0
145	132.0	
150	141.0	141.0
155	152.0	
160	161.0	
165	172.0	
170	182.0	
175	193.0	
180	204.0	
185	215.0	
190	227.0	
195	239.0	
200	252.0	
210	277.0	
(mm)	(kg/m)	(kg/m)

外 径 O.D.	長さ / Length 4000mm	長さ / Length 6000mm
220	304.0	
230	332.0	
240	362.0	
250	392.0	
260	424.0	
270	457.0	
280	492.0	
290	527.0	
300	564.0	
310	602.0	
320	642.0	
330	682.0	
340	720.0	
350	767.0	
360	807.0	
(mm)	(kg/m)	(kg/m)

は切断可能品 / :also available for cutting



丸棒 / Stainless Steel Round Bar

SUS304

ピーリング仕上げ / Peeled Surface

外 径 O.D.	長さ / Length 4000mm
370	857.0
380	899.0
390	947.0
400	1001.0

(mm) (kg/m)

外 径 O.D.	長さ / Length 4000mm
420	1104.0
450	1267.0
480	1435.0
500	1563.0

(mm) (kg/m)

は切断可能品 / :also available for cutting